IXYS Thyristor Chip CWP 42-12

tentative

Type	Ag* Al*	V_{DRM} / V_{RRM}	V_{DSM} / V_{RSM} [V]	$I_{T(AV)}$ [A]	Chip Size [mm] x [mm]	Package Options
CWP 42-12	☑ ☑	1200	1300	114	10.00 10.0	sawn on foil ☑ unsawn wafer ☑ * in waffle pack ☑

*Frontside options

*Please contact IXYS chip sales



Mechanical Parameters

Area active		0.66	cm^2
Area total		1.00	cm^2
Wafer size Ø		150	mm
Thickness		290	µm
Material		Si	
Max. possible chips per wafer		126	
Passivation front side		Glassivation	
Metallization top side		solderable: Ti / Ni / Ag *	
top side		bondable: Al	
Recom. wire bonds (Al)	Cathode	Gate	
* = Stitchbonds	Number / Ø [µm]	12* / 500	1 / 500
Metallization backside		solderable (only): Ti / Ni / Ag *	
Reject Ink Dot Size		Ø 0.4-1.0	mm
Recom. Storage Environment			
sawn on foil	in org. container, in dry nitrogen	< 6	month
unsawn wafer	in org. container, in dry nitrogen	< 2	year
in waffle pack	in org. container, in dry nitrogen	< 2	year
	T_{stg}	-40 ... 40	°C

*Sinterable top/bottom side on request

Features

- planar design (non-mesa)
- ultra rugged for easy assembly (flat backside)
- excellent long term stability
- very low leakage current
- very low forward voltage drop

Applications

- DC motor control
- AC power control
- Softstrart AC motor controller
- Light, heat and temperature control
- Solid state relays
- Controlled rectifier circuits

Dimensions

A [mm]	B [mm]	C [mm]	D [mm]	E [mm]	H [mm]	J [mm]	K [mm]	L [mm]
10.00	10.00	8.44	8.44	0.34	1.50	0.25	0.25	1.50





tentative

Electrical parameters

Symbol	Conditions		Ratings min.	typ.	max.	
I_R	V_D = Vr = Vrr	T_{VJ} = 25°C			0.05	mA
		T_{VJ} = 150°C			10	mA
V_T	I_T = 230 A	T_{VJ} = 25 °C			1.29	V
		T_{VJ} = 150 °C			1.26	V
V_{T0}	For power-loss calculations only				0.89	V
r_T	T_{VJ} = 150 °C				1.60	mΩ
V_{GT}	V_D = 6 V	T_{VJ} = 25°C			1.5	V
		T_{VJ} = -40°C			1.6	V
I_{GT}	V_D = 6 V	T_{VJ} = 25°C			40	mA
		T_{VJ} = -40°C			80	mA
V_{GD}	T_{VJ} = 150 °C	V = ⅔ V_{DRM}			0.2	V
I_{GD}					5	mA
I_L	t_p = 10 µs	T_{VJ} = 25°C I_G = 0.45 A di_G/dt = 0.45 A/µs			150	mA
I_H	R_{GK} = ∞	T_{VJ} = 25°C V_D = 6 V			100	mA
t_{gd}	V_D = ½ V_{DRM}	T_{VJ} = 25°C			2	µs
	I_G = 0.5 A	di_G/dt = 0.5 A/µ				
t_q	V_R = 100 V	I_T = 114 A -di/dt = 10 A/µs			150	µs
	t_p = 200 µs	dv/dt = 20 V/µs V_D = ⅔ Vdrm T_{VJ} = 125 °C				
$(di/dt)_{cr}$	repetitive	I_T = 150 A			150	A/µs
	non repetitive	I_T = 114 A			500	A/µs
	V = ⅔ V_{DRM}	T_{VJ} = 150 °C di_G/dt = 0.45 A/µs				
	I_G = 0.45 A	t_p = 200 µs f = 50 Hz				
$(dv/dt)_{cr}$	T_{VJ} = 150 °C	V_{DR} = ⅔ V_{DRM}			1000	V/µs
	R_{GK} = ∞	method 1 (linear voltage rise)				
P_{GM}	T_{VJ} = 150 °C	t_p = 30 µs			10	W
		t_p = 3E µs			5	W
P_{GAV}					0.5	W
V_{RGM}					10	V
T_{VJ}			-40		150	°C
$I_{T(AV)}$	T_C = 100 °C	180° rect.			114	A
	T_{VJ} = 150 °C	180° sine			108	A
I_{TSM} *	T_{VJ} = 45°C	t = 10 ms (50) Hz, sine			1600	A
	V_R = 0 V	t = 8.3 ms (60) Hz, sine			1750	A
	T_{VJ} = 150 °C	t = 10 ms (50) Hz, sine			tbd	A
	V_R = 0 V	t = 8.3 ms (60) Hz, sine			tbd	A
I^2t *	T_{VJ} = 45°C	t = 10 ms (50) Hz, sine			12800	A^2s
	V_R = 0 V	t = 8.3 ms (60) Hz, sine			12709	A^2s
	T_{VJ} = 150 °C	t = 10 ms (50) Hz, sine			tbd	A^2s
	V_R = 0 V	t = 8.3 ms (60) Hz, sine			tbd	A^2s
R_{thJC} *	DC current			0.35		K/W

* Data according to assembled product tbd

Data according to IEC 60747

tentative

Terms of Conditions and Usage

The data contained in this product data sheet is exclusively intended for technically trained staff. The user will have to evaluate the suitability of the product for the intended application and the completeness of the product data with respect to his application. The specifications of our components may not be considered as an assurance of component characteristics. Should you require product information in excess of the data given in this product data sheet or which concerns the specific application of our product, please contact the sales office, which is responsible for you. Due to technical requirements our product may contain dangerous substances. For any information on the types in question please contact the sales office/partner, which is responsible for you.

Should you intend to use the product in aviation applications, in health or life endangering or life support applications, please notify. For any such applications we urgently recommend

- to perform joint risk and quality assessments;

- the conclusion of quality agreements;

- to establish joint measures to ensure application specific product capabilities and notify that IXYS may delivery dependent on the realization of any such measures.